

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

LISTING OF CLAIMS:

1-21. (Cancelled)

22. (Previously Presented) The latch according to Claim 69, wherein said base surface is arcuate along both a longitudinal and lateral axis.

23. (Previously Presented) The latch according to Claim 69, wherein one of said flanges including a cut-out enhancing coupling with said rails.

24. (Previously Presented) The latch according to Claim 69, wherein said latch including indicia indicating a locked and unlocked position.

25. (Original) The latch according to Claim 24, wherein said latch includes a second indicia indicating direction of movement.

26. (Cancelled)

27. (Previously Presented) The latch according to Claim 69, wherein said first member providing rigidity to said latch.

28. (Cancelled).

29. (Cancelled).

30. (Previously Presented) The latch according to Claim 69, wherein said body having an arcuate outer surface enabling manipulation by a user.

31. (Previously Presented) The latch according to Claim 69, wherein said second member is a soft material providing a gripping surface.

32. (Previously Presented) The latch according to Claim 69, wherein said first member being formed from polypropylene and said second member formed from krayton.

33-65. (Cancelled)

66. (Previously Presented) The latch according to Claim 70, wherein one of said indicia is in a contrasting color with respect to the other.

67. (Original) The latch according to Claim 66, wherein said first member indicia being yellow and said second member including said second indicia being black.

68. (Cancelled)

69. (Currently Amended) A latch for a tool container, comprising:

a body;

a channel in said body for receiving a rail, said channel defined by an arcuate base surface in said latch, said arcuate base surface continuous across the channel, two side walls extending from said base and two flanges extending from said side walls towards one another; and

said latch including a first member covered by a second member, a portion of said first member extending through said second member providing an indicia member and said portion having a surface substantially flush with said second member.

70. (Previously Presented) The latch according to Claim 69, wherein said second member including a second indicia member.

71. (Currently Amended) A latch for a tool container, comprising:

a body;

a channel in said body for receiving a rail, said channel defined by an arcuate base surface in said latch, said arcuate base surface continuously extending across the channel, said arcuate base surface being arcuate in both a lateral and longitudinal direction, two side walls extending from said base and two flanges extending from said side walls towards one another; and

said latch including a first member covered by a second member, a portion of said first member extending through said second member providing an indicia member and said portion having a surface substantially flush with said second member.

72. (Currently Amended) A latch for a tool container, comprising:

a body;

a channel in said body for receiving a rail, said channel defined by an arcuate base surface in said latch, two side walls extending from said base with said arcuate surface continuously extending between said sidewalls, and two flanges extending from said side walls towards one another; and

said latch including a first member molded with a second member, a portion of said first member extending through said second member providing an indicia member and said portion having a surface substantially flush with said second member.